

On occasion of the centennial year of the two greatest Croatian soccer teams: brief review of the evidence base for team physicians

There is an expression that "soccer is the most important unimportant thing in the world." Although everyone admits it is "only a game," enormous importance is attached to it. Social significance of this sport is so great that it inevitably affects the health of people. In one of the most extreme examples, a disagreement at a soccer match sparked a war between two Central American countries, leaving thousands of people dead or displaced (1). But this notorious event is just the tip of the iceberg. Days when soccer games take place – usually Sundays – are associated with a rise in violence, while the soccer fever during great international contests, such as the World Cup or Euro Cup, results in an increased number of emergency calls to ambulance services (2). Fans intuitively know that loud and passionate cheering can influence refereeing decisions in favor of their team (3), but they are perhaps less aware that such behavior is associated with a significant increase in rates of acute cardiovascular events (4,5). Rhetoric of violence is obvious when fans metaphorically demand from players to "die on the soccer field," but unfortunately, it is not unheard of that players die on the soccer field not only metaphorically but literally (6).

Soccer team physicians have very limited power in preventing public and personal health hazards generated by overenthusiastic soccer aficionados. Their main duty is to keep their players in the best possible health condition to bear the strain of a professional soccer career. Top-tier soccer teams can afford high-profile and expensive technologies to fine-tune their players' physical condition for the optimal performance on the pitch. Teams with smaller budgets can only rely on the knowledge and skills of their physicians to reduce the gap in physical performance that constitutes the difference between successful and less successful teams (7).

Although Croatia has a reputable national soccer team, the Croatian league is small and unimpressive. In terms of

Dario Sambunjak

Director, Croatian Branch of the Italian Cochrane Centre
dario.sambunjak@mefst.hr

Jurica Rakić

Hajduk team physician
jurerakic@yahoo.com

money involved, it cannot be compared with the Premier League, Bundesliga, La Liga, or Seria A. Nevertheless, Croatian soccer has a proud history that goes many decades back. This year is the centennial of the two most celebrated Croatian teams – and long-standing rivals – Hajduk from Split and Dinamo from Zagreb. Hajduk, which owes its name to the *hajduks*, romanticized brigands that fought the Ottoman Turks many centuries ago, was officially registered on February 13, 1911 and has played under the same name ever since. Dinamo was founded in the immediate aftermath of the World War II, but is considered the successor of the First Croatian Citizens' Sports Club Gradiški, established in Zagreb on April 26, 1911 and disbanded by the communist authorities on June 6, 1945. Dinamo took over not only Gradiški's colors, nickname, and fan base, but also most of its players. Thus, both major Croatian soccer teams have a reason to celebrate this year.

As every other professional soccer team, Hajduk and Dinamo have their physicians, who work with players on a daily basis, trying to prevent and treat their common health problems (Table 1). Evidence-based medicine, with systematic reviews of literature on the top of the evidence pyramid, should be of great help in ensuring the most appropriate interventions for the prevention and treatment of injuries in soccer players. A search of the Cochrane Database of Systematic Reviews (CDSR) and Database of Abstracts of Reviews of Effects (DARE), performed on January 26, 2011, using the search term "soccer OR football," yielded 15 citations. Among them, there were 2 Cochrane systematic reviews – on the prevention of ankle ligament injuries (8) and on the prevention of hamstring injuries (9). Other citations were paper-based systematic reviews indexed in the DARE. Four of these paper-based reviews explored interventions for the prevention of ankle sprains (10-13) and two explored stretching as part of a warm-up for the prevention of exercise-related injury (14,15). Other reviewed the literature on prophy-

TABLE 1. Common health problems in soccer players, with possible methods of their prevention, treatment and diagnostics used by the health service of the Hajduk soccer team in Split, Croatia

Health problem	Prevention	Treatment	Diagnostics
Groin pain: pubic osteitis, abdominal muscle injury, lumbar spine injury, groin pain syndrome (tendon enthesitis of adductor longus and/or abdominal muscles), sport-related hernia and other hernias	good physical preparation, correction of physical rest, physiotherapy, cryotherapy, disproportionate strength of abdominal muscle strengthening and stretching, and thigh muscles, treating chronic tendinitis, avoiding abrupt movements	massage, non-steroidal anti-inflammatory drugs, chiropractic, minimally invasive spine surgery, hernia surgery, cutting of tendons of gracilis and rectus muscles, rehabilitation	physical exam, ultrasonography, magnetic resonance
Knee injuries: meniscus tear injury, collateral ligament injury, cruciate ligament injury, rectus femoris tendon rupture, patellar tendon rupture, knee luxation, intra-articular knee fracture, patella fracture, jumpers knee	avoiding cleats, correcting training errors, raising the heel, avoiding hard surfaces	physical rest, immobilization, exercises for quadriceps muscle, physiotherapy, surgery, reposition, extracorporeal shock wave therapy, non-steroidal anti-inflammatory drugs, ultrasound, laser	physical exam, x-ray
Achilles tendon pain syndrome	correcting mistakes in training, raising the heel, avoiding hard surfaces	ceasing sport activity, chyotherapy, muscle strengthening and stretching, surgery (excision of degenerative lesions, reconstruction)	ultrasonography, magnetic resonance, x-ray
Bursitis: student's elbow, prepatellar bursitis, Baker cyst, subacromial, retrocalcaneal, trochanteric, septic, blood	avoiding repetition of same movements, brace, wearing adequate equipment (shoes), orthopedic soles	physical rest, chyotherapy, physiotherapy, electrotherapy, magnet therapy, laser, ultrasound, non-steroidal anti-inflammatory drugs, puncture and elastic bandage after puncture, cortisone locally, surgery	physical exam, ultrasonography
Iliotibial band friction syndrome	correcting mistakes in training (such as sudden changes in intensity and duration), correcting anatomical variations (eg, difference in leg length)	cryotherapy, stretching exercises, soles, heat therapy	physical exam, ultrasonography, scintigraphy
Plantar fasciitis	orthopedic soles, stretching of plantar fascia, achilles tendon, gastrocnemius muscle, soleus muscle, and foot muscles	termination (decrease) of activity, surgical treatment, cryotherapy, ultrasound therapy, galvanic stimulation, friction massage, ice baths and hot-cold therapy, surgery if needed	physical exam, x-ray
Overuse syndrome	removing predisposing factors (inadequate shoes, training on hard surfaces and training errors), stretching exercises	termination of activities that led to symptoms, cryotherapy, stretching and strengthening of affected muscle groups, surgery if needed	physical exam, ultrasonography, magnetic resonance
Sprained ankle	avoiding hard surfaces, inadequate shoes, training errors	physical rest, immobilization, inserts, bandages, ice, electrical stimulation of muscles, analgesics, physiotherapy	computerized tomography and magnetic resonance if needed
Muscle sprain	eliminating bad practice, warming up, cooling	reducing physical activity, ice pack, elastic bandage, lymphatic drainage, analgesics and anti-inflammatory drugs, physiotherapy (electrotherapy, ultrasound- laser-, magnetic-therapy), kinesiotherapy (stretching exercises and "cross friction" massage), extracorporeal shock wave therapy	physical exam, ultrasonography, magnetic resonance
Medial tibial stress syndrome	gradual return to training after a reduction of symptoms, orthopedic soles, bandage, sports shoes, warm up, stretching before and after workout	chyotherapy, massage, stretching	physical exam, ultrasonography, x-ray if needed, magnetic resonance

TABLE 1. Continued. Common health problems in soccer players, with possible methods of their prevention, treatment and diagnostics used by the health service of the Hajduk soccer team in Split, Croatia

Health problem	Prevention	Treatment	Diagnostics
Stress fractures	shoes and substrates	physical rest, immobilizing plaster boot with a heel for walking if needed	x-ray, bone scintigraphy
Sudden cardiac arrest (death)	identifying predisposing factors, use of automatic external defibrillators, implantable cardioverter defibrillators and antiarrhythmic drugs	emergent defibrillation with automatic external defibrillators (outside the hospital)	physical examination (screening strategies), 12-lead electrocardiography (ventricular tachyarrhythmias, long Q-T, Brugada, Wolf-Parkinson-White and other syndromes); echocardiography (hypertrophic cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy, aortic stenosis and other conditions).

lactic braces in the prevention of knee ligament injuries (16), neuromuscular training programs for the prevention of anterior cruciate ligament injury (17,18), protective equipment in preventing concussion (19), mouthguards in sport activities (20), and diagnostics of long-standing groin pain (21). A systematic review by Olsen et al (22) looked specifically at soccer players, focusing on the effectiveness of strategies for preventing injuries, especially in younger participants.

The same keywords ("soccer OR football") used in a search by PubMed Clinical Queries yielded 84 citations categorized within "Systematic Reviews." However, a closer look at the titles and abstracts of these articles revealed that only 28 of them were clearly soccer-related systematic reviews, with or without meta-analysis. Out of these, 22 were not indexed either in the CDSR or DARE (23-44).

Of course, this is not an exhaustive list of evidence-based resources to inform the decisions of a soccer team physician, but it is a good place to start. Further relevant findings can be found in other systematic reviews and primary studies published in the CDSR or in specialty journals. Considering the wealth of knowledge stored in the medical literature, soccer team physicians should heed the advice of Stølen et al: "As with other activities, soccer is not a science, but science may help improve performance" (27).

References

- Anderson TP. The war of the dispossessed: Honduras and El Salvador, 1969. Lincoln (NE): University of Nebraska Press; 1981.
- Deakin CD, Thompson F, Gibson C, Green M. Effects of international football matches on ambulance call profiles and volumes during the 2006 World Cup. *Emerg Med J.* 2007;24:405-7. doi:10.1136/ emj.2007.046920 Medline:17513536
- Nevill AM, Balmer NJ, Mark Williams A. The influence of crowd noise and experience upon refereeing decisions in football. *Psychol Sport Exerc.* 2002;3:261-72. doi:10.1016/S1469-0292(01)00033-4
- Carroll D, Ebrahim S, Tilling K, Macleod J, Smith GD. Admissions for myocardial infarction and World Cup football: database survey. *BMJ.* 2002;325:1439-42. doi:10.1136/bmj.325.7378.1439 Medline:12493655
- Wilbert-Lampen U, Leistner D, Greven S, Pohl T, Sper S, Voelker C, et al. Cardiovascular events during World Cup soccer. *N Engl J Med.* 2008;358:475-83. doi:10.1056/NEJMoa0707427 Medline:18234752
- Kramer E, Dvorak J, Kloeck W. Review of the management of sudden cardiac arrest on the football field. *Br J Sports Med.* 2010;44:540-5. doi:10.1136/bjsm.2010.074526 Medline:20547666
- Rampinini E, Impellizzeri F, Castagna C, Coutts A, Wisloff U. Technical performance during soccer matches of the Italian Serie A league: Effect of fatigue and competitive level. *J Sci Med Sport.* 2009;12:227-33. doi:10.1016/j.jsams.2007.10.002 Medline:18083631

- 8 Handoll HHG, Rowe BH, Quinn KM, de Bie R. Interventions for preventing ankle ligament injuries. Cochrane Database Syst Rev. 2001;(Issue 3):CD000018. [Medline:11686947](#)
- 9 Goldman EF, Jones DE. Interventions for preventing hamstring injuries. Cochrane Database Syst Rev. 2010;(Issue 1):CD006782. [doi:10.1002/14651858.CD006782.pub2](#). [Medline:20091605](#)
- 10 Thacker SB, Stroup DF, Branche CM, Gilchrist J, Goodman RA, Weitman EA. The prevention of ankle sprains in sports: a systematic review of the literature. Am J Sports Med. 1999;27:753-60. [Medline:10569362](#)
- 11 Verhagen EA, van Mechelen W, de Vente W. The effect of preventive measures on the incidence of ankle sprains. Clin J Sport Med. 2000;10:291-6. [doi:10.1097/00042752-200010000-00012](#) [Medline:11086757](#)
- 12 McKeon PO, Hertel J. Systematic review of postural control and lateral ankle instability, part II: is balance training clinically effective? J Athl Train. 2008;43:305-15. [doi:10.4085/1062-6050-43.3.305](#) [Medline:18523567](#)
- 13 Dizon JM, Reyes JJ. A systematic review on the effectiveness of external ankle supports in the prevention of inversion ankle sprains among elite and recreational players. J Sci Med Sport. 2010;13:309-17. [doi:10.1016/j.jsams.2009.05.002](#) [Medline:19586798](#)
- 14 Shrier I. Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science literature. Clin J Sport Med. 1999;9:221-7. [doi:10.1097/00042752-199910000-00007](#) [Medline:10593217](#)
- 15 Small K, Mc Naughton L, Matthews M. A systematic review into the efficacy of static stretching as part of a warm-up for the prevention of exercise-related injury. Res Sports Med. 2008;16:213-31. [doi:10.1080/15438620802310784](#) [Medline:18785063](#)
- 16 Pietrosimone BG, Grindstaff TL, Linens SW, Uczekaj E, Hertel J. A systematic review of prophylactic braces in the prevention of knee ligament injuries in collegiate football players. J Athl Train. 2008;43:409-15. [doi:10.4085/1062-6050-43.4.409](#) [Medline:18668174](#)
- 17 Grindstaff TL, Hammill RR, Tuzson AE, Hertel J. Neuromuscular control training programs and noncontact anterior cruciate ligament injury rates in female athletes: a numbers-needed-to-treat analysis. J Athl Train. 2006;41:450-6. [Medline:17273472](#)
- 18 Hewett TE, Ford KR, Myer GD. Anterior cruciate ligament injuries in female athletes - part 2: a meta-analysis of neuromuscular interventions aimed at injury prevention. Am J Sports Med. 2006;34:490-8. [doi:10.1177/0363546505282619](#) [Medline:16382007](#)
- 19 Benson BW, Hamilton GM, Meeuwisse WH, McCrory P, Dvorak J. Is protective equipment useful in preventing concussion? A systematic review of the literature. Br J Sports Med. 2009;43 Supplement 1:i56-67. [doi:10.1136/bjsm.2009.058271](#) [Medline:19433427](#)
- 20 Knapik JJ, Marshall SW, Lee RB, Darakjy SS, Jones SB, Mitchener TA, et al. Mouthguards in sport activities: history, physical properties and injury prevention effectiveness. Sports Med. 2007;37:117-44. [doi:10.2165/00007256-200737020-00003](#) [Medline:17241103](#)
- 21 Jansen JA, Mens JM, Backx FJ, Stam HJ. Diagnostics in athletes with long-standing groin pain. Scand J Med Sci Sports. 2008;18:679-90. [doi:10.1111/j.1600-0838.2008.00848.x](#) [Medline:18980608](#)
- 22 Olsen L, Scanlan A, MacKay M, Babul S, Reid D, Clark M, et al. Strategies for prevention of soccer related injuries: a systematic review. Br J Sports Med. 2004;38:89-94. [doi:10.1136/bjsm.2002.003079](#) [Medline:14751956](#)
- 23 Parkkari J, Kujala UM, Kannus P. Is it possible to prevent sports injuries? Review of controlled clinical trials and recommendations for future work. Sports Med. 2001;31:985-95. [doi:10.2165/00007256-200131140-00003](#) [Medline:11735682](#)
- 24 Koh JO, Cassidy JD, Watkinson EJ. Incidence of concussion in contact sports: a systematic review of the evidence. Brain Inj. 2003;17:901-17. [doi:10.1080/0269905031000088869](#) [Medline:12963556](#)
- 25 Thacker SB, Stroup DF, Branche CM, Gilchrist J, Goodman RA, Porter Kelling E. Prevention of knee injuries in sports. A systematic review of the literature. J Sports Med Phys Fitness. 2003;43:165-79. [Medline:12853898](#)
- 26 Petersen J, Holmich P. Evidence based prevention of hamstring injuries in sport. Br J Sports Med. 2005;39:319-23. [doi:10.1136/bjsm.2005.018549](#) [Medline:15911599](#)
- 27 Stølen T, Chamari K, Castagna C, Wislaff U. Physiology of soccer: an update. Sports Med. 2005;35:501-36. [Medline:15974635](#)
- 28 Toth C, McNeil S, Feasby T. Central nervous system injuries in sport and recreation: a systematic review. Sports Med. 2005;35:685-715. [doi:10.2165/00007256-200535080-00003](#) [Medline:16076230](#)
- 29 Toth C, McNeil S, Feasby T. Peripheral nervous system injuries in sport and recreation: a systematic review. Sports Med. 2005;35:717-38. [doi:10.2165/00007256-200535080-00004](#) [Medline:16076231](#)
- 30 Bille K, Figueiras D, Schamasch P, Kappenberger L, Brenner JI, Meijboom FJ, et al. Sudden cardiac death in athletes: the Lausanne Recommendations. Eur J Cardiovasc Prev Rehabil. 2006;13:859-75. [doi:10.1097/01.hjr.0000238397.50341.4a](#) [Medline:17143117](#)
- 31 Fong DT, Hong Y, Chan LK, Yung PS, Chan KM. A systematic review on ankle injury and ankle sprain in sports. Sports Med. 2007;37:73-94. [doi:10.2165/00007256-200737010-00006](#) [Medline:17190537](#)
- 32 McGuire T. Sports injuries in high school athletes: a review of injury-risk and injury-prevention research. Clin J Sport Med. 2006;16:488-99. [doi:10.1097/01.jsm.0000248848.62368.43](#) [Medline:17119362](#)
- 33 Armon C. Sports and trauma in amyotrophic lateral sclerosis revisited. J Neurol Sci. 2007;262:45-53. [doi:10.1016/j.jns.2007.06.021](#) [Medline:17681549](#)
- 34 Chen H, Richard M, Sandler DP, Umbach DM, Kamel F. Head injury and amyotrophic lateral sclerosis. Am J Epidemiol. 2007;166:810-6.

[doi:10.1093/aje/kwm153](https://doi.org/10.1093/aje/kwm153) Medline:17641152

- 35 Maffey L, Emery C. What are the risk factors for groin strain injury in sport? A systematic review of the literature. *Sports Med.* 2007;37:881-94. [doi:10.2165/00007256-200737100-00004](https://doi.org/10.2165/00007256-200737100-00004) Medline:17887812
- 36 Prodromos CC, Han Y, Rogowski J, Joyce B, Shi K. A meta-analysis of the incidence of anterior cruciate ligament tears as a function of gender, sport, and a knee injury-reduction regimen. *Arthroscopy.* 2007;23:1320-5.e6. [doi:10.1016/j.arthro.2007.07.003](https://doi.org/10.1016/j.arthro.2007.07.003) Medline:18063176
- 37 Spinks AB, McClure RJ. Quantifying the risk of sports injury: a systematic review of activity-specific rates for children under 16 years of age. *Br J Sports Med.* 2007;41:548-57. [doi:10.1136/bjsm.2006.033605](https://doi.org/10.1136/bjsm.2006.033605) Medline:17473004
- 38 Swan KG Jr, Wolcott M. The athletic hernia: a systematic review. *Clin Orthop Relat Res.* 2007;455:78-87. [doi:10.1097/BLO.0b013e31802eb3ea](https://doi.org/10.1097/BLO.0b013e31802eb3ea) Medline:17146362
- 39 Caudill P, Nyland J, Smith C, Yerasimides J, Lach J. Sports hernias: a systematic literature review. *Br J Sports Med.* 2008;42:954-64. [doi:10.1136/bjsm.2008.047373](https://doi.org/10.1136/bjsm.2008.047373) Medline:18603584

- 40 Nichols AW. Sports medicine clinical trial research publications in academic medical journals between 1996 and 2005: an audit of the PubMed MEDLINE database. *Br J Sports Med.* 2008;42:909-21. [doi:10.1136/bjsm.2007.037861](https://doi.org/10.1136/bjsm.2007.037861) Medline:18070809
- 41 Dick RW. Is there a gender difference in concussion incidence and outcomes? *Br J Sports Med.* 2009;43 Suppl 1:i46-50. [doi:10.1136/bjsm.2009.058172](https://doi.org/10.1136/bjsm.2009.058172) Medline:19433425
- 42 McDermott BP, Casa DJ, Ganio MS, Lopez RM, Yeargin SW, Armstrong LE, et al. Acute whole-body cooling for exercise-induced hyperthermia: a systematic review. *J Athl Train.* 2009;44:84-93. [doi:10.4085/1062-6050-44.1.84](https://doi.org/10.4085/1062-6050-44.1.84) Medline:19180223
- 43 Maffulli N, Longo UG, Gougoulias N, Caine D, Denaro V. Sport injuries: a review of outcomes. *Br Med Bull.* 2010 Aug 14. [Epub ahead of print] Medline:20710023
- 44 Yoo JH, Lim BO, Ha M, Lee SW, Oh SJ, Lee YS, et al. A meta-analysis of the effect of neuromuscular training on the prevention of the anterior cruciate ligament injury in female athletes. *Knee Surg Sports Traumatol Arthrosc.* 2010;18:824-30. [doi:10.1007/s00167-009-0901-2](https://doi.org/10.1007/s00167-009-0901-2) Medline:19760399