

Supplemental Table 2. Results of linear regression for criteria variables of family practitioners' behavior additional categories

Predictor	Number of preventive checkups			Provided service ECG monitoring			Provided service otoscopy			Provided service abdomen ultrasound			Provided service rhinoscopy		
	B	<i>p</i>	SE	B	<i>P</i>	SE	B	<i>p</i>	SE	B	<i>p</i>	SE	B	<i>p</i>	SE
Constant	0.009	0.501	0.013	0.026	0.065	0.014	0.031	0.076	0.018	-0.015	0.126	0.009	0.060	<0.001	0.015
Sex (0=male, 1=female)	0.001	0.899	0.011	0.028	0.022	0.012	-0.012	0.413	0.015	0.028	<0.001	0.008	0.021	0.093	0.013
Period (0=before, 1=after)	0.328	<0.001	0.018	0.022	0.270	0.020	0.079	0.001	0.025	0.025	0.058	0.013	-0.008	0.713	0.021
Age 1-7 (0=no, 1=yes)	-0.007	0.764	0.024	-0.048	0.070	0.026	-0.020	0.535	0.032	-0.033	0.058	0.017	-0.131	<0.001	0.027
Age 8-18 (0=no, 1=yes)	-0.006	0.781	0.020	-0.048	0.034	0.022	-0.015	0.593	0.027	-0.015	0.314	0.015	0.032	0.161	0.023
Age 19-45 (0=no, 1=yes)															
Age 46-64 (0=no, 1=yes)	0.036	0.016	0.015	0.008	0.643	0.016	-0.001	0.968	0.020	0.039	<0.001	0.011	-0.036	0.030	0.017
Age 65 and more (0=no, 1=yes)	0.063	<0.001	0.017	-0.017	0.362	0.019	0.022	0.347	0.023	0.023	0.068	0.013	-0.109	<0.001	0.019

Patient has diabetes (0=no, 1=yes)	- 0.02 6	0.09 3	0.01 6	- 0.021	0.22 6	0.017	0.05 8	0.0 05	0.021	- 0.01 1	0.32 5	0.011	- 0.04 3	0.0 14	0.01 7
Patient has hypertension (0=no, 1=yes)	- 0.07 8	<0.0 01	0.01 1	0.082	<0.0 01	0.012	0.01 3	0.3 66	0.015	0.00 9	0.27 1	0.008	0.03 0	0.0 14	0.01 2
Patient has COPD (0=no, 1=yes)	- 0.02 4	0.10 8	0.01 5	0.044	0.00 7	0.016	0.01 6	0.4 17	0.020	0.00 9	0.40 3	0.011	0.05 6	<0. 001	0.01 7
Practice (0=practice number 1, 1=practice number 2)	- 0.00 2	0.84 4	0.01 1	0.011	0.37 2	0.012	- 0.00 8	0.5 75	0.015	0.04 7	<0.0 01	0.008	0.12 4	<0. 001	0.01 3
Period × gender	- 0.01 7	0.27 1	0.01 6	- 0.004	0.82 8	0.017	0.02 4	0.2 71	0.021	- 0.00 2	0.86 3	0.012	0.00 1	0.9 38	0.01 8
Period × age 0-7 y	0.11 4	<0.0 01	0.03 4	- 0.007	0.85 6	0.037	0.51 2	<0. 001	0.045	- 0.00 8	0.74 0	0.025	0.04 4	0.2 49	0.03 8
Period × age 8-18 y	0.17 4	<0.0 01	0.02 9	0.004	0.89 8	0.031	0.20 9	<0. 001	0.039	- 0.01 6	0.43 4	0.021	- 0.01 0	0.7 58	0.03 2
Period × age 19-45 y*															
Period × age 46-64 y	- 0.07 5	<0.0 01	0.02 0	0.021	0.34 3	0.022	- 0.00 6	0.8 36	0.027	- 0.01 3	0.38 6	0.015	- 0.01 1	0.6 37	0.02 3
Period × age 65+ y	- 0.19 4	<0.0 01	0.02 2	0.082	<0.0 01	0.024	0.00 5	0.8 78	0.029	- 0.02 4	0.13 3	0.016	0.01 0	0.6 96	0.02 4

Period × practice	- 0.106	<0.001	0.016	- 0.018	0.290	0.017	- 0.040	0.059	0.021	- 0.022	0.060	0.012	- 0.063	<0.001	0.018	
<i>F</i>		820.872; <i>p</i> = <0.001			140.092; <i>p</i> = <0.001			270.279; <i>p</i> = <0.001			70.886; <i>p</i> = <0.001			150.584; <i>p</i> = <0.001		
R ²		0.189			0.038			0.072			0.022			0.042		
Adjusted R ²		0.187			0.035			0.069			0.019			0.039		

*reference category.